

TRIAL DATA SUMMARY

FarmForest Research, Dr. James Coupland, Westport, Ontario


### **BioWorks Products Included in Trial**

BotryStop® WP

**Summary:** Applied weekly, BotryStop WP significantly decreased incidence of *Botrytis* compared to the control. At all rates tested, BotryStop WP provided control as good as the commercial standard, Regalia.

Treatment	Rate
Untreated Control	-
BotryStop WP	2 lb/100 gal
BotryStop WP	3 lb/100 gal
BotryStop WP	4 lb/100 gal
Regalia	0.25% v/v

Method Summary	
Crop	Cannabis
Variety	Afghan
Location	Westport, Ontario - Greenhouse
Disease	Botrytis Bud Rot
Trial Design	Randomized Complete Block
Application Dates	9/12/2022
	9/19/2022
	9/26/2022
	10/3/2022
	10/10/2022
	10/17/2022
Application Method	Foliar Spray with CO <sub>2</sub> backpack sprayer



Disease severity in Cannabis. Means followed by the same letter do not differ significantly.

Page 1 of 2 Trial Data Summary 23 December 2022

# **BioWorks**\*

## **Botrytis Bud Rot on Cannabis**

TRIAL DATA SUMMARY

## **Result Summary**

- All foliar treatments significantly reduced disease severity compared to the non-treated control.
- All BotryStop WP treatments (2, 3 and 4 lbs/100 gal) performed as well as the commercial standard Regalia, which was applied at label rate every 7-d.

#### **Recommendations from Data**

- BotryStop WP is an effective treatment against *Botrytis* Bud Rot in Cannabis.
- Apply BotryStop WP at 2-4 lbs/100 gal when conditions for Botrytis are present and repeat on a 7-to-10day interval as needed.
- BotryStop WP can be tank-mixed or rotated with compatible pesticides for resistance management of diseases.



Check BioWorks product compatibility at: <a href="https://bioworksinc.com/ask-us/product-compatibility/">https://bioworksinc.com/ask-us/product-compatibility/</a>

Refer to product labels for complete application details. Additional technical information is available on our website (<a href="https://bioworksinc.com/">https://bioworksinc.com/</a>) or from your BioWorks biological solutions advisor. Always read and follow label directions.

Page 2 of 2 Trial Data Summary 23 December 2022