

TOTALNEMA A™ X

Nematicide

TotalNema A_x is a nematicide to control plant damaging nematodes in agriculture.

TotalNema A_x is an aqueous emulsion formulated with a synergistic blend of Eugenol, Castor Oil and Clove Oil.

ACTIVE INGREDIENTS

Eugenol.....	1.50%
Castor Oil.....	1.00%
Clove Oil.....	0.75%

INERT INGREDIENTS

Water, Lecithins, Xanthan Gum.....	96.75%
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

READ THE ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE AND WITH APPLICABLE STATE REGULATIONS.

For agricultural and commercial use; Greenhouse, Shadehouse, Interiorscape, and Nursery. Use on indoor and outdoor food and non-food crops, plants, shrubs, trees and ornamentals, and turfgrass. Not for use on row crops including corn, soybean, wheat, barley, canola, cotton, oats, rice and rye.

PRECAUTIONARY STATEMENTS

Wear eye/face protection and use in well ventilated areas. Avoid breathing spray, mist or vapors and wash thoroughly after use. Wear long sleeve shirt, long pants, socks, shoes and chemical resistant gloves.

FIRST AID

If Ingested: Do not induce vomiting. Rinse mouth, drink plenty of water, and seek medical attention immediately.

If on Skin: Remove contaminated clothing and wash affected area thoroughly with soap and water.

If in Eyes: Rinse immediately with plenty of water for at least 15 minutes. Seek medical attention if irritation persists.

If Inhaled: Move the person to fresh air immediately. Keep them at rest in a well-ventilated area and seek medical attention.

HOTLINE NUMBER: Have the product container or label with you when calling the Poison Control Center or a doctor, or when going for treatment. For emergency medical treatment information, contact the Poison Control Center at 1-800-222-1222.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in the original container at room temperature. Keep the container tightly closed when not in use. Avoid excessive heat and direct sunlight.

Disposal: Do not reuse or refill this container. If available or required, offer the container for recycling. Otherwise, dispose of in a sanitary landfill or by incineration in accordance with local regulations. Follow local waste disposal authority guidelines for any unused product remaining in the container.

This product qualifies for exemption from EPA registration under 25(b) of Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).



BioWorks®

DIVISION OF BIOFIRST GROUP

Exclusively distributed by: **BioWorks, Inc.**
100 Rawson Road • Suite 205 • Victor, NY 14564
800.877.9443

DIRECTIONS FOR USE

This product **MUST** be diluted in water before use. Use within 4 hours after dilution. Mix at dilution rate on the label to prevent plant damage.

MIXING DIRECTIONS

Add sufficient water to the clean mixing tank to allow proper agitation. Add the correct amount of TotalNema A_x to tank and fill to desired volume. Maintain agitation until solution is used. If other pesticides and/or adjuvants are to be added, do so after TotalNema A_x has been thoroughly mixed.

RECOMMENDED RATE OF APPLICATION

Recommend applying the diluted product at 100 gallons per acre.

For control of nematodes in indoor and outdoor agricultural, horticultural and commercial uses on food and non-food crops	Pre-plant broadcast/In furrow/Drip/Drench	1.0 - 2.0 pints/ acre
---	---	-----------------------

APPLICATION INSTRUCTIONS

Apply TotalNema A_x as a pre-plant broadcast, in furrow, drench or drip application at the rates indicated in the rate table. Suggested application every 14 days or as needed based on nematode pressure.

Do not apply this product if bees and other pollinators are foraging in the treatment area.

COMPATIBILITY

TotalNema A_x is compatible with most commonly used insecticides and fungicides. Read and follow all precautions and limitations on labeling of all products used in tank mixtures. Do not use with any product whose label recommends the use of no oils.

PLANT SAFETY

TotalNema A_x has been tested on numerous plant varieties. However, since TotalNema A_x has not been tested on all plant varieties or in combination with all available tank mixes, BioWorks strongly advises testing TotalNema A_x on a small number of plants to check for adverse side effects before applying to a larger number of plants. If tank mix data is not available, conducting a jar test is recommended to confirm physical compatibility of the two products.

STORAGE AND DISPOSAL

Keep in original closed container at room temperature.

DISPOSAL: Do not contaminate water or food. Do not reuse or refill containers. Recycle this container if appropriate. Dispose or incinerate according to your state's recommended procedures. Follow your local waste disposal agency instructions for any leftover product in the container.

WARRANTY

Seller warrants that this product conforms to the description on this label and is reasonably fit for the purposes stated on this label when used and stored in accordance with the directions for use. This warranty does not extend to use of this product contrary to label directions or under conditions not reasonably foreseeable by the Seller, and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, Seller disclaims all other warranties, express or implied, including any warranty of fitness or merchantability. To the extent consistent with applicable laws, Seller shall not be liable for consequential, special or indirect damages resulting from use or handling of this product, and Seller's sole liability and Buyer's and User's exclusive remedy shall be limited to refund of the purchase price. This product is sold only for uses stated on its label. No express or implied license is granted to use or sell this product under any patent in any country except as specified.

S-####

TOTALNEMA A™

Nematicide

TotalNema A is a nematicide to control plant damaging nematodes in agriculture. TotalNema A is an aqueous emulsion formulated with a synergistic blend of Eugenol, Castor Oil and Clove Oil.

ACTIVE INGREDIENTS

Eugenol.....	1.50%
Castor Oil.....	1.00%
Clove Oil.....	0.75%

INERT INGREDIENTS

Water, Lecithins, Xanthan Gum.....	96.75%
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

READ THE ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE AND WITH APPLICABLE STATE REGULATIONS.

For agricultural and commercial use; Greenhouse, Shadehouse, Interiorscape, and Nursery. Use on indoor and outdoor food and non-food crops, plants, shrubs, trees and ornamentals, and turfgrass. Not for use on row crops including corn, soybean, wheat, barley, canola, cotton, oats, rice and rye.

PRECAUTIONARY STATEMENTS

Wear eye/face protection and use in well ventilated areas. Avoid breathing spray, mist or vapors and wash thoroughly after use. Wear long sleeve shirt, long pants, socks, shoes and chemical resistant gloves.

FIRST AID

If Ingested: Do not induce vomiting. Rinse mouth, drink plenty of water, and seek medical attention immediately.

If on Skin: Remove contaminated clothing and wash affected area thoroughly with soap and water.

If in Eyes: Rinse immediately with plenty of water for at least 15 minutes. Seek medical attention if irritation persists.

If Inhaled: Move the person to fresh air immediately. Keep them at rest in a well-ventilated area and seek medical attention.

HOTLINE NUMBER: Have the product container or label with you when calling the Poison Control Center or a doctor, or when going for treatment. For emergency medical treatment information, contact the Poison Control Center at 1-800-222-1222.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in the original container at room temperature. Keep the container tightly closed when not in use. Avoid excessive heat and direct sunlight.

Disposal: Do not reuse or refill this container. If available or required, offer the container for recycling. Otherwise, dispose of in a sanitary landfill or by incineration in accordance with local regulations. Follow local waste disposal authority guidelines for any unused product remaining in the container.

This product qualifies for exemption from EPA registration under 25(b) of Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).

Exclusively distributed by:

BioWorks, Inc.
100 Rawson Road
Suite 205
Victor, NY 14564
800.877.9443



BioWorks®

DIVISION OF BIOFIRST GROUP

Net Contents: 1 GAL (3.78 L)

PEEL TO OPEN • PRESS TO CLOSE

S-XXXX 012026