ABOVE AND BEYOND IS WHERE WE BEGIN



CROP GUIDE GREENHOUSE PEPPERS

	PEST/DEFICIENCY	CROP STAGE						
		SEED	SEEDLING (3-5 LEAVES)	VEGETATIVE STAGE	FRUIT PRODUCTION STAGE			
	Soilborne Diseases	RootShield® <i>PLUS</i> ⁺ WP						
	Powdery Mildew	CEASE®, MilStop® SP						
	Botrytis		CEASE	BotryStop® WP, Mi	ilStop SP + CEASE			
	White Mold		CEASE	CEASE, PERpose Plus				
	Fusarium Fruit Rot, Bacterial Soft Fruit Rot			CEASE, PERpose Plus				
	Aphids, Whiteflies, Thrips	PRINCIPLE™ WP, Molt-X, SuffOil-X®, EpiShield®						
	Caterpillars							
	Pepper Weevils		Molt-X, PRINCIPLE WP					
	Tarnished Plant Bugs							
	Fungus Gnats, Shore Flies	NemaShield®, Molt-X						
	Spider Mites, Broad Mites		SuffOil-X, EpiShield					
	Efficient nutrient use and stress reduction	ON-Gard®						

CROP GUIDE GREENHOUSE PEPPERS

	PRODUCT	REI, PHI	OMRI	PEST/DEFICIENCY	RECOMMENDED RATE	TYPE OF APPLICATION
SEASES	RootShield <i>PLUS</i> ⁺ WP ²	4-hour 0-day	Yes	Pythium, Fusarium, Phytophthora, Rhizoctonia, Damping Off	Drench: 4-8 oz/100 gal	Drench at seeding and transplant; reapply at 4–6 week intervals.
٥	MilStop SP	1-hour 0-day	Yes	Powdery Mildew, Botrytis	1.25–5.0 lb/100 gal	Foliar application every week. Tank mix rates: CEASE 4–6 qt/100 gal + MilStop SP 1.25–3 lb/100 gal.
	CEASE	4-hour 0-day	Yes	Powdery Mildew, Botrytis, White Mold (Sclerotinia)	4-6 qt/100 gal	Foliar application every 7–14 days.
	PERpose Plus	0-1-hour 0-day	Yes	Powdery Mildew, White Mold (Sclerotinia)	1/3-1 fl oz/gal	1/3 fl oz/gal preventative foliar application weekly.
	BotryStop WP ⁴	4-hour 0-day	Yes	Botrytis	2-4 lb/100 gal	Foliar application every 7–10 days.
TES	PRINCIPLE WP ¹	4-hour 0-day	Yes	Aphids, Whiteflies, Thrips, Caterpillars,	0.5-2 lb/100 gal	Foliar application every 5-10 days. For thrips use 1-2 lb/100 gal.
S M	Molt-X ²	4-hour 0-day	Yes	Pepper Weevil, Tarnished Plant Bugs	8–10 fl oz/100 gal	Foliar spray to glisten on a 7-10-day interval or as needed.
INSECT	SuffOil-X	4-hour 0-day	Yes	Mites, Aphids, Whiteflies, Thrips	1-2 gal/100 gal	Foliar application every 7 days. Suppresses powdery mildew.
4	EpiShield	N/A	No	Mites, Aphids, Thrips, Whiteflies, Mealybugs	9-12 fl oz/100 gal	Foliar spray to glisten on 5-7-day interval or as needed.
	NemaShield	N/A	N/A	Fungus Gnats, Shore Flies	100 million/1100-3400 ft2	Apply as a drench to the substrate as needed.
	Molt-X²	4-hour 0-day	Yes		8 fl oz/100 gal	Apply as a drench.
NUTRITION	ON-Gard (5-0-0) ³	N/A	Yes	Nutrition supplement and stress reduction	1 qt-2 gal/100 gal	Weekly foliar spray: 1 qt in seedling stage to 2 gal in vegetative & fruiting stages. Fog rates: 6.4-11.2 fl oz/3 L water.

Please refer to product labels for complete application instructions. Always read and follow label directions.

'Not available for use in CA; aNot available for use in AK; aNot labeled for use in MT, ND, SD, WY. BotryStop WP not labeled for use on pepper in CA

Please refer to product labels **bioworksinc.com** for fogging application details and rates.

©2024 BioWorks, Inc. The following are registered trademarks of BioWorks, Inc.: RootShield, CEASE, MilStop SP, PERpose Plus, BotryStop, Molt-X, NemaShield, SuffOil-X, EpiShield, and ON-Gard. PRINCIPLE is a trademark of BioWorks, Inc.



BIOWORKS, INC.

100 Rawson Road • Suite 205

Victor, NY 14564

bioworksinc.com • 800.877.9443